

Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh





Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Declarations:

<u>Declaration</u> <u>Management</u>

- Declarations Management serves the purpose of coordinating data exchange between federates.
- Specifies the data a federate will send and receive
- Controls where data are distributed basing on external request






Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh



Title Data



Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Declarations:

Declarations Management

Objects Vocabulary

· Object Classes

The class comprises attributes and describes types and things that persist in the time

⊕ Interaction Classes

The class includes parameters and describes events types





Objects
Publication and
Subscription

Interactions
Publication and
subscription


Values Refresh

Declarations:

Declarations Management

Objects Vocabulary

Venn diagram D= C+ D= D= D







Objects
Publication and
Subscription


Interactions
Publication and
subscription


Values Refresh

P&S of Objects:

The federate B publishes the attributes:

The federate D subscribes the attributes:









Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

P&S of Interaction:

Interactions Publication

 As with Object Classes, each federate must declare explicitly which Interaction Classes it wants to produce

Interactions are produced as "all or nothing". It isn't possible to specify which parameters in an interaction will be published in an interaction.





Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

P&S of Interactions:

Interactions Publication

Interactions Subscription

- Each federate subscribes
 Interaction Classes that it wants to receive
- It is not possible to subscribe only some parameters of an Interaction Class
- A federate is informed about a new interaction instance if: the federate has subscribed Interaction Classes of the instance

Copyright 2000-2016 Simulation Team, University of Genoa



Objects
Publication and
Subscription

Interactions
Publication and
subscription


Values Refresh

Refresh:

Management of Objects Declarations







SuscribeObjectClass Attriburtes

A.2.6






Objects
Publication and
Subscription

Interactions
Publication and
subscription


Values Refresh

Refresh:

Management of Objects Declarations







UnpublishObjectClass

UnsubscribeObjectClass

A.2.14

copylight 200-2016 Simulation Team, University of Genoa



Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations

Objects

- * To create an object, the federate must before publish its class
- The federate registers the new instance of the object
- To discover this object, other
 federates must have subscribed to
 that object class
- Those federates then will discover the object instance





Objects
Publication and
Subscription


Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations

Management of Interactions Declarations





Objects
Publication and
Subscription


Interactions
Publication and
subscription

Values Refresh


Refresh:

Management of Objects Declarations

Management of Interactions Declarations







UnsubscribeInteractionClass

A.2.14

CTIONCIASS

Copyright 2002011 Gimulation Team, University of Genoa







Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations
Management of Interactions Declarations

Interactions

- In order to send an interaction,
 the federate must publish its
 class
- To receive these interactions,
 other federates must subscribe to
 their class






Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations
Management of Interactions Declarations
Objects Management Methodology





Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations
Management of Interactions Declarations
Objects Management Methodology
Objects Management Refresh

Federate Federate regestClassAttribute ValueUpdate provideAttribute A.3.11 RTI ValueUpdate regestObjectAttribute B.3.5 ValueUpdate provideAttribute A.3.13 ValueUpdate ReflectAttributeValue B.3.5 **B.3.8 UpdateAttributeValue** Copyright 2002011 Qimulation Team, University of Genoa



Objects
Publication and
Subscription

Interactions
Publication and
subscription

Values Refresh

Refresh:

Management of Objects Declarations
Management of Interactions Declarations
Objects Management Methodology
Objects Management Refresh
Interactions Objects Management

